



ROOM SCHEDULE

Room No.	Room Use
101	Main Entry - South
2	Office
3	Ticket Booth
4	Main Entry - North
5	Lobby
6	West Public Concourse - South End
7	West Public Concourse - North End and Future Concession
8	Officials Corridor
9	Officials Room
110	Washroom
1	First Aid
2	Washroom
3	West Men's Room - North End
4	West Men's Room - Entry
5	West Men's Room - South End
6	West Ladies' Room - North End
7	West Ladies' Room - South End
8	West Ladies' Room - Entry
9	South West Exit
120	South Public Concourse
1	South East Exit
2	North West Vomitory
3	North Public Concourse
4	Truck Access Aisle
5	North East Exit
6	North East Men's Room
7	North East Men's Room
8	North East Ladies' Showers
9	North East Ladies' Room
130	Mechanical Area Entry
1	Gas Meter Room
2	Heating Equipment East
3	Refrigeration Machinery Room
4	Player's Showers - North
5	Player's Dressing Room - North
6	East Exit
7	Player's Corridor - North
8	Player's Corridor - South
9	Player's Dressing Room - South
140	Player's Showers - South
1	Future South East Concession Area
2	Storage
3	Storage
4	Storage
5	Storage
6	Storage
7	Storage
8	Storage
9	Storage
150	South Arena Floor Access Aisle
1	Arena Floor
2	Player's Box - North
3	Player's Box - South
6	Penalty Box - North
7	Time Keeper
8	Penalty Box - South
9	Electrical Controls
160	Heating Equipment - West
1	Dressing Room - South
2	Dressing Room - North
3	Players Lock-Up
4	Dressing Room Entry - North
5	Dressing Room Entry - South
6	Janitor's Room

DESIGN CRITERIA

- Roof design L.L. 21 p.s.f. increased 100% on areas subject to drifting.
- Structural floor, bleacher and stair L.L.'s 100 p.s.f.
- Soil bearing (max.) for end bearing piles 8,000 p.s.f.
- Wind loading 16 p.s.f. (77 mph gust).
- All construction shall comply fully with the latest edition of the National Building Code of Canada and with all local codes and ordinances.

ISSUE	DATE	REMARKS	NO.	REVISION	DATE	BY	APPROVED
1	APR 1/60	FOR CONST.	<i>Hoe</i>				
2	APR 27/60	REVISED TO ISSUE 1	<i>Hoe</i>	ADDED 29'-0", 11'-6" TO 11'-0", 2'-0" TO 2'-0", 20'-7 1/8" TO 20'-0", 6'-0" TO 7'-6", 8'-1" TO 5'-11", 5'-8" TO 4'-11", 0'-0" TO 10'-11", 5'-4" TO 5'-10", 4'-11" TO 4'-6", 2'-8" TO 2'-8", 8'-0" TO 4'-0", 11'-4" TO 8'-6", 17'-0" TO 11'-1", 27'-0" TO 27'-0"	APR 27/60	G.E.B.	<i>W.P. Thiel</i>

UNDERWOOD McLELLAN & ASSOCIATES LIMITED
ALBERTA
CONSULTING PROFESSIONAL ENGINEERS
BRITISH COLUMBIA ALBERTA SASKATCHEWAN MANITOBA

DRAWN: H.A.C./W.A.O.
CHECKED: H.A.C.
DESIGN: H.A.C.
TRACED:
SCALE: 3/32" = 1'-0"

CITY OF DRUMHELLER
MEMORIAL ARENA
MAIN FLOOR PLAN

DATE: APR 11/1960
JOB: 45-229-22
SHEET: 2 of 25
DRAWING: A-2
ISSUE: 2